





Cartoning Machine

Product Data

Contents

DZH-120 Automatic Cartoning Machine

LJ-900 Cartoning Sealing Machine

DZH-120 Horizontal Automatic Cartoning Machine

Horizontal Cartoning Machine is a new product developed by our company, which is a multi-functional cartoning machine integrated with

machine, electricity and gas. It has the advantages of small size, light weight, wide application range, high production efficiency, and can be used for multiple purposes in one machine. It meets the relevant requirements of "GMP" of "National Pharmaceutical Production Quality Management



The structure is compact and reasonable, the performance is stable and advanced, and the operation is simple and easy to understand.


Standard".

- Intermittent motion, large packing range and easy adjustment.
- Using internationally renowned electrical components PLC control, which has touch-type man-machine interface, and the parameter setting is convenient and quick.
- The fault diagnosis prompt is clear at a glance, and the use is more user-friendly.
- The suction unit adopts a vacuum generator or a vacuum pump to realize the suction and put of the carton, the position is accurate, and the carton is not stuck.
- The transmission system is concise and clear, the work is more reliable, and the maintenance is more convenient.
- **■** Each control is realized by software, which is convenient for function adjustment and technical upgrading, and can adapt to the production needs of different periods.

Technical Parameters

Model	DZH-120
cartoning speed	30-120 cartons/min
carton quality requirements	300-350g/m²
dimension range of carton	(60-200)mm×(25-85)mm×(15-65)mm
user manual unfolded size range	L(80-300)×W(70-210)mm
user manual folded size range	L(70-210)×W(20-40)mm
total power	220V 50Hz 1.5Kw
work pressure	0.5-0.7mpa
air consumption	15-20m³/h
dimensions	3150 mm×1180 mm×1950mm
net weight of machine	about 1500kg

LJ-900 Automatic Cartoning Open Sealing Machine



LJ-900 automatic cartoning open sealing machine is a new product

developed by our company in combination with foreign technology. It can connect bundles, three-dimensional, heat shrinking and other machines. The back end can be directly packaged and palletized to achieve a complete package production line. The equipment adopts all-aluminum high-end advanced design, adopts imported electrical components, PLC, man-machine interface operation, making the equipment running process

more stable and convenient, with automatic unpacking, automatic packing, automatic sealing and other functions can be used in the pharmaceutical, food, and cosmetics industries the device complies with GMP standards.

Features

- adopt all-aluminum high-end advanced design
- adopt imported electrical components, PLC, man-machineinterface operation

Technical Parameters

Model	LJ-900
Actual production capacity	Less than or equal to 5 boxes/minute, the action depends on the quantity
Bunding Size	Min300X180X150mm Max650X400X350mm
Package Size	Max600X350X320mm
Power Supply	AC380/three-phase/50Hzpower consumption:7.5kw
pressure	0.6MPaAir consumption: <1m³/h
Transportation Size	3940*2000*2700mm
Weight	2500kg



- info@capsulcn.com
- **2** 0086-577-65155520 0086-15967727111
- ♀ No.51 Kaifa 1st Rd, Ruian, Zhejiang, China 325200
- www.capsulcn.com www.ipharmachine.com www.huadapharma.com